


ENTWÄSSERUNG



SCHNEEBELASTUNG (kg/m²)

| Auskragung (cm) | Breite (cm) | | | | | | | | |
|--------------------|---------------|-----|-----|-----|-----|---------------|-----|-----|-----|
| | 200 | 250 | 300 | 350 | 400 | 450 | 500 | 550 | 600 |
| | EINZELCARPORT | | | | | DOPPELCARPORT | | | |
| 240 | 300 | 239 | 139 | 120 | 120 | 300 | 230 | 180 | 139 |
| 265 | 300 | 239 | 139 | 120 | 120 | 300 | 230 | 180 | 139 |
| 290 | 300 | 239 | 139 | 120 | 120 | 300 | 230 | 180 | 139 |
| 315 | 300 | 239 | 139 | 120 | 120 | 300 | 230 | 180 | 139 |
| 340 | 300 | 239 | 139 | 120 | 120 | 300 | 230 | 175 | 133 |
| 365 | 300 | 239 | 139 | 120 | 120 | 300 | 225 | 162 | 123 |
| 390 | 300 | 239 | 139 | 120 | 120 | 290 | 210 | 150 | 115 |
| 415 | 300 | 239 | 139 | 120 | 120 | 260 | 197 | 140 | 107 |
| 440 | 300 | 239 | 139 | 120 | 120 | 255 | 184 | 132 | 100 |
| 465 | 300 | 239 | 139 | 120 | 120 | 240 | 174 | 124 | 94 |
| 490 | 300 | 239 | 139 | 120 | 120 | 225 | 165 | 117 | 89 |
| 515 | 300 | 239 | 139 | 120 | 120 | 215 | 155 | 111 | 84 |
| 540 | 300 | 239 | 139 | 120 | 120 | 205 | 148 | 105 | 80 |
| 565 | 300 | 239 | 139 | 120 | 120 | 195 | 141 | 100 | 75 |
| 590 | 300 | 190 | 139 | 120 | 120 | 185 | 134 | 95 | 72 |

Grenzlast für Biegefeil $f=L/200$

ZUSATZSTOFF UNTEN

| ZUSATZSTOFF | |
|-----------------------------|-----------------------------|
| Auskragung der Konstruktion | Anzahl der Windschutzbalken |
| 240 | 4 |
| 265 | 4 |
| 290 | 4 |
| 315 | 5 |
| 340 | 5 |
| 365 | 5 |
| 390 | 5 |
| 415 | 6 |
| 440 | 6 |
| 465 | 6 |
| 490 | 6 |
| 515 | 7 |
| 540 | 7 |
| 565 | 7 |
| 590 | 7 |